

ASQ/ASQ:SE Form
(Please note: ASQ/ASQ:SE Form is 1 page)

Purpose:

The purpose of this form is to gather information on the child’s developmental milestones. This helps track child health and development outcomes for the children in the program.

General Guidelines:

- This form is completed at four points in time: infancy 5-6 months, infancy 11-12 months, toddler 17-18 months, and toddler 23 months
- If the client gave birth to multiples, use separate forms for each child.

Definitions/Directions for Completing Form

- If the child is receiving early intervention services (EIS) for a developmental delay: If the parent, nurse, and/or supervisor decide that the child is not eligible for further screening, check the box that indicates the child is not eligible for developmental screening. Indicate this option for each of the associated ASQ subscales. The NHV should document that the developmental assessments have been deferred to the designated EIS worker and keep in close contact with the EIS so that the NHV can support their work with the baby. The child does not need another developmental assessment as they are already receiving services from EI which means they are displaying a documented delay.
- Include the ASQ and ASQ-SE assessment scores at the appropriate child age. Data will be compared to norms to calculate the percentage of children needing a referral for potential delay.
- The ASQ form may be completed within one month before or after the child’s age. also states we must complete it within 1 month - does that mean we can complete it 1 month in advance also?
- If a child was born preterm, the NHV still completes the ASQ at the scheduled time. If the child is < 1 month premature there is no need to adjust for age as the ASQ is valid for 1 month before and 1 month after the interval age, creating a 2 month window for use.
- If the child is > 1 month premature, you should always adjust for prematurity until the child is 24 months old. So, at the 4 month visit, a child who is 4 weeks premature would still be evaluated using the 4 month ASQ because the adjusted age at this visit is 3 months. For example, the corrected age for a 10 week premature baby at 6 months would be 3.5 months, for which the 4 month ASQ is valid.
- The time frame during which the ASQ:SE is valid differs from that of the ASQ, so adjusting for prematurity will occur less frequently. A child born three months premature can still use the 6 month ASQ:SE at 6 months.

ASQ:SE Questionnaire	Valid Age Range
6 month	3 through 8 months
12 month	9 through 14 months
18 month	15 through 20 months
24 month	21 through 26 months

- If the child is not receiving early intervention services, but for other reasons the parent declines all or any portion of the developmental screening, select the box that indicates the client has declined further screening. Indicate this option for each of the associated ASQ subscales.

Note: These tools are copyrighted and must be purchased for use. ASQ-3 questionnaires are a one-time purchase. A single site can photocopy or print them as needed from the paper and PDF masters.

<http://www.brookespublishing.com/store/books/squires-asq/>

For more in-depth instructions on completion of the ASQ (ASQ-3) and the ASQ:SE, refer to Appendix A “Ages & Stages-3 and Ages & Stages: Social-Emotional Guidance for Use within NFP”

ASQ/ASQ:SE Form



Client Name: _____

Client ID: _____

Nurse ID: _____

Date: _____

Please provide Ages and Stages scores for the child:

	5-6 months	11-12 months	17-18 months	23 months
ASQ:				
Communication				
Gross Motor				
Fine Motor				
Problem Solving				
Personal-social				
ASQ:SE:				
Child not eligible for screening in this subscale at this time because child is receiving services	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Parent declined further screening	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>